

COMPACTORS

Husqvarna LX 90



1/1 ↗

**PLATE WIDTH**

450 mm

**WEIGHT (COMPLETE PRODUCT
W/O SIDE PACKED ARTICLES)**

96 kg

CENTRIFUGAL FORCE

16 kN

FORWARD PLATE LX 90 | 450 mm | Honda

Art nr: 967 89 71-01

PRODUCT DESCRIPTION

LX 90 is a lightweight, fast-operating round plate compactor, developed for efficient compaction of sand, gravel, and mixed soils. It is ideal for use inside of corners, manholes, and trenches where you need to change direction and turn around easily. As alternative to rammers and reversible plate compactors, this gives you many benefits in one machine.

Feature overview (4)

- ✓ Efficient compaction
- ✓ Easy to manoeuvre
- ✓ Easy transport
- ✓ Allows flush compaction

EFFICIENT COMPACTION

Husqvarna LX 90 delivers higher speed and compaction capacity compared to a standard rammer.

EASY TO MANOEUVRE

The round plate geometry allows you to manoeuvre Husqvarna LX 90 with ease in all situations.



Search



All products specification LX 90	LX 90 450 mm Honda 967 89 71-01
Engine	
Motor/engine model	GX160
Engine Power (As rated by the engine manufacturer)	3.6 kW
Starter	Recoil
Exhaust emissions (CO ₂ EU V)	974.76 g/kWh
Power source	Petrol
Product data	
Compaction application	Soil
Frequency	75 Hz
Centrifugal force	16 kN
Speed	22 m/min
Dimensions	
Plate width	450 mm
Product size length	450 mm

Product size width	450 mm
Product size height	920 mm
Weight (complete product w/o side packed articles)	96 kg
Packaging length	600 mm
Packaging width	800 mm
Packaging height	1,120 mm
Article gross weight	100,000 g
Sound and noise	
Sound power level, guaranteed (LWA)	104 dB(A)
Sound pressure level at operators ear (LpA)	92 dB(A)
Vibration	
Vibrations left/front handle	6.1 m/s ²

Showing 26 of 26