

COMPACTORS

## Husqvarna LT 8005



**PLATE WIDTH**  
280 mm

**WEIGHT (COMPLETE PRODUCT W/O SIDE PACKED ARTICLES)**  
91 kg

RAMMER LT 8005 | 11" | Yanmar  
Art nr: 970 70 31-01

1/5



### PRODUCT DESCRIPTION

LT 8005 is our heaviest rammer with the widest foot. It is well-balanced and powerful, developed for efficient compaction of granular and cohesive soils such as clay and silt. Ideal for compaction in trenches or other narrow spaces, such as around pillars and pipes. Equipped with a powerful diesel engine, it delivers deep compaction thanks to a combination of high centrifugal force and optimised weight.

Feature overview (6)

- ✓ High compaction performance
- ✓ Great ergonomics
- ✓ Easy to manoeuvre
- ✓ Operator friendly
- ✓ Durable design
- ✓ Easy to service

### HIGH COMPACTION PERFORMANCE

Efficient compaction thanks to a powerful diesel engine attached to a durable gearbox delivering high speed and high impact force.

### GREAT ERGONOMICS

The single lifting point make on-site handling easy. Transport wheel kit available as an accessory.

### EASY TO MANOEUVRE

The balanced design provides excellent traction and manoeuvrability. Good visibility of the rammer foot in operation, which enables timely movement.



Search



All products specification LT 8005	LT 8005   11"   Yanmar 970 70 31-01	LT 8005   13"   Yanmar 970 70 31-02
<b>Engine</b>		
Motor/engine model	L48V5	L48V5
Engine Power (As rated by the engine manufacturer)	3 kW	3 kW
Exhaust emissions (CO <sub>2</sub> EU V)	1,068 g/kWh	1,068 g/kWh
Power source	Diesel	Diesel
<b>Product data</b>		
Speed	11.5 m/min	11.5 m/min
<b>Dimensions</b>		
Plate width	280 mm	330 mm
Product size length	780 mm	780 mm
Product size width	382 mm	382 mm
Product size height	1,089 mm	1,089 mm
Weight (complete product w/o side packed articles)	91 kg	92 kg
Packaging length	1,080 mm	1,073 mm
Packaging width	440 mm	436 mm
Packaging height	980 mm	950 mm
Article gross weight	101,500 g	103,000 g
<b>Sound and noise</b>		
Sound power level, guaranteed (LWA)	106 dB(A)	106 dB(A)
Sound pressure level at operators ear (LpA)	93 dB(A)	93 dB(A)

Showing 20 of 20

## ACCESSORIES



### ATTACHMENTS

#### **transport wheel kit**

Accessory for  
**compaction equipment, T...**