

COMPACTORS

Husqvarna LFV 60

NEW



PLATE WIDTH
350 mm

WEIGHT (COMPLETE PRODUCT W/O SIDE PACKED ARTICLES)
64.9 kg

CENTRIFUGAL FORCE
10.4 kN

FORWARD PLATE LFV 60 | 350 mm | Honda | GX160
Art nr: 970 71 93-02

1/5 ↗



PRODUCT DESCRIPTION

LFV 60 is a fast-operating forward plate compactor, ideal for compacting thin to medium layers of granular soils. Optimised speed and force enable fast and easy compaction with high productivity.

Feature overview (4)

- ✓ Durable design
- ✓ High reliability
- ✓ Additional capability for asphalt applications
- ✓ Paving protection

DURABLE DESIGN

Enabling good force and speed to get job done.

HIGH RELIABILITY

Easy to run with low maintenance.

ADDITIONAL CAPABILITY FOR ASPHALT APPLICATIONS

An optional water tank can be added for asphalt applications.



Search




All products specification LFV 60	LFV 60 350 mm Honda GX160 970 71 93-02
Engine	
Motor/engine model	GX160
Engine Power (As rated by the engine manufacturer)	3.6 kW
Power/fuel type	Petrol
Starter	Recoil
Exhaust emissions (CO ₂ EU V)	757 g/kWh
Power source	Petrol
Product data	
Compaction application	Asphalt and Soil
Centrifugal force	10.4 kN
Speed	22 m/min
Dimensions	
Plate width	350 mm
Product size length	992 mm
Product size width	350 mm
Product size height	961 mm
Weight (complete product w/o side packed articles)	64.9 kg
Packaging length	610 mm
Packaging width	850 mm
Packaging height	840 mm
Article gross weight	78,000 g
Sound and noise	
Sound power level, guaranteed (LWA)	102 dB(A)


Sound pressure level at operators ear (LpA)	87 dB(A)
Vibration	
Vibrations left/front handle	7 m/s²

Showing 26 of 26


ACCESSORIES



ATTACHMENTS
Block paving mat
Accessory for
forward plate compactors,...



WATER TANKS
Water tank



SERVICE KITS/TOOLS
Service kit LF 50/60
Accessory for
Compaction equipment, Fo...