

COMPACTORS

Husqvarna LFV 80



PLATE WIDTH
420 mm

WEIGHT (COMPLETE PRODUCT W/O SIDE PACKED ARTICLES)
81 kg

CENTRIFUGAL FORCE
19 kN

FORWARD PLATE LFV 80 Honda
Art nr: 970 45 55-01

1/5 ↗



PRODUCT DESCRIPTION

LFV 80 is a fast-operating forward plate compactor, ideal for compacting thin to medium layers of granular soils. Optimised speed and force enable fast and easy compaction with high productivity.

Feature overview (5)

- ✓ Durable design
- ✓ High reliability
- ✓ Additional capability for asphalt applications
- ✓ Easy handling
- ✓ Paving protection

DURABLE DESIGN

Enabling good force and speed to get job done.

HIGH RELIABILITY

Easy to run with low maintenance.

ADDITIONAL CAPABILITY FOR ASPHALT APPLICATIONS

An optional water tank can be added for asphalt applications.



Search



All products specification LFV 80	LFV 80 Honda 970 45 55-01
Engine	
Motor/engine model	GX160
Engine Power (As rated by the engine manufacturer)	3.6 kW
Starter	Recoil
Exhaust emissions (CO ₂ EU V)	757 g/kWh
Power source	Petrol
Product data	
Compaction application	Asphalt and Soil
Frequency	95 Hz
Centrifugal force	19 kN
Speed	33 m/min
Dimensions	
Plate width	420 mm
Product size length	926 mm
Product size width	420 mm
Product size height	942 mm
Weight (complete product w/o side packed articles)	81 kg
Packaging length	620 mm
Packaging width	850 mm
Packaging height	840 mm
Article gross weight	90,500 g
Sound and noise	
Sound power level, guaranteed (LWA)	105 dB(A)

Sound pressure level at operators ear (LpA)	90 dB(A)
Vibration	
Vibrations left/front handle	7 m/s²

Showing 26 of 26

ACCESSORIES



ATTACHMENTS
Black paving mat

Accessory for
Forward plate compactors,...



ATTACHMENTS
Fork lift device

Accessory for
Compaction equipment, Fo...



WATER TANKS
Water tank



ATTACHMENTS
Transport wheel kit

Accessory for
Forward plate compactors,...